

Welcome to CSE 438S

Mobile Application Development

“iPhone Class”

Course Information

- **Instructor**
 - Todd Sproull
 - todd@wustl.edu
 - Jolley 536
 - Office Hours by Appointment
- **Classrooms**
 - Hillman 60
 - Whitaker 316 (Mac Lab)
- **Time**
 - Mondays and Wednesdays 11:30 AM – 1 PM
- **Course Website**
 - <http://research.engineering.wustl.edu/~todd/cse438/>
- **Head TA**
 - Jack Robards
- **We will use Piazza to answer questions**
 - Please sign up, I emailed everyone an invite

Requirements

- **CSE 247**
- **Access to an Intel-based Macintosh**
 - Running Mac OS X 10.12 or later
 - iPhone SDK Xcode 8.3.3 and iOS 10
 - We will use Xcode 8.3.3 the entire semester, I strongly recommend not upgrading to a newer version of the software
- **Textbook**
 - None, we will use lecture slides and the developer.apple.com website
- **Owning an iPhone or iPod Touch not required**
 - We will use the simulator throughout the semester
 - Final projects may target an iPhone or iPod Touch

Stanford CS193p

- **This course is based on cs193p taught at Stanford by Evan Doll and Alan Cannistraro**
 - Lectures and slides available on iTunes
- **Many of the lectures and programming assignments come from this class**
 - Initial assignments are identical
 - Later assignments somewhat different
- **Consider taking the iTunes course if that suits your personality**

Copyrights, Patents, Fair Use...

- **Everything discussed in this class and on the website is completely OPEN and FREE**
 - Do whatever you want with it
- **The goal of this class is to share as much information as possible**
 - Open discussion of topics and ideas
- **If you have a great idea and do not want others to implement it and sell it DO NOT discuss it here**
 - If you choose to discuss it, we can probably improve it
- **You are free to become an Apple Developer (\$99/yr) and sell anything you create in this class**
 - Or implement another student's great idea and sell it

What is this class all about?

- **Building applications on iOS Devices**
 - iPhone, iPad, iPod Touch, Apple Watch, Apple TV
- **Learn new programming languages**
 - Swift
 - Objective-C



Cocoa Touch and iPhone SDK

- **Based on Cocoa**
 - API used to develop software on Mac
- **Provides rich starting point for exploring app design**
- **Shows real-world implementations of OO design patterns**
- **Designs learned on iPhone translate directly to Mac OS X**

Swift

- **Apple's latest programming language to develop OS X and iOS applications**
- **New language only a few years**
- **Combines many of the latest programming techniques in an easy to learn language**

Grading

- **4 lab assignments during the semester**
 - 70% of your final grade
- **Final Project**
 - Work on something that can make a difference
 - Start thinking about your project today!
 - 30% of your final grade


Questions?

iPhone OS Overview

iPhone





Mac OS X



Mac OS X




iPhone / iPad




- **Core OS**

- OS X Kernel
- BSD
- Sockets
- Security
- Power Mgmt
- Keychain
- File System




- **Core Services**

- Collections
- Networking
- SQLite
- Net Services
- Threading
- Preferences



- **Media**

- Core Audio
- Audio Mixing
- Audio Recording
- Video Playback
- JPG, PNG, TIFF
- PDF
- Quartz (2D)
- Core Animation
- OpenGL ES



- **Cocoa Touch**
 - Multi-Touch Events
 - Multi-Touch Controls
 - Accelerometer
 - Localization
 - Alerts
 - Web Views

Development

- **Tools**
 - Xcode
 - Storyboard (formerly Interface Builder)
- **Frameworks**
 - Foundations
 - UIKit
- **Languages and Runtimes**
 - Swift
 - Objective C

Cocoa Touch Architecture

Cocoa Touch

UIKit


- User interface elements
- Application runtime
- Event handling
- Hardware APIs

Foundation


- Utility classes
- Collection classes
- Object wrappers for system services
- Subset of Foundation in Cocoa

Object Oriented Programming


Object




Behavior




Message




State




Other Objects as State



Outlets



Target/Action



Demo

Recap

- **Keep logic separate from interface elements**
- **Outlets connect controllers to views**
- **Use target/action to customize behavior**